

Work Order ID 85363

\*85363\*

Page 1

June-06-12 4:23:35 PM

Item ID: D206-642-541

Accept

\*N900040100\*

Setup Start \*NS1\*

Revision ID:

Stop \*NS2\*

Item Name: Replacement Skidtube

Start Date: 06/06/2012 Start Qty: 1.00

\*1\*

Cust Item ID:

Required Date: 15/06/2012 Req'd Qty: 1.00

\*1\*

Customer:

Reference:

Approvals: Process Plan: MLJ Date: 12/06/07 Tooling:

Date:

Run Start \*NR1\*

QC: Date: SPC (Y/N):

Date:

Stop \*NR2\*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3274	D								
100		0.00							
*100*	DOCUMENT CONTROL								
DC		0.00							
Document Control	Memo Photocopy bluefile & type labels per PPP D206-642-541				CHG003				

N/A

**Work Order ID 85363****\*85363\***

Page 2

June-06-12 4:23:35 PM

Item ID: D206-642-541

Accept

**\*N9000040100\***Setup Start **\*NS1\***

Revision ID:

Stop **\*NS2\***

Item Name: Replacement Skidtube

Start Date: 06/06/2012 Start Qty: 1.00

**\*1\***

Cust Item ID:

Required Date: 15/06/2012 Req'd Qty: 1.00

**\*1\***

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start **\*NR1\***

QC:

Date:

SPC (Y/N):

Date:

Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
110	Skidtubes	0.00							
<b>*110*</b>									
Skidtubes									
Skidtubes									

**Memo**

0.00

\*\*\*\*VERIFY AND INSPECT THE MATERIAL PRIOR TO USE\*\*\*\*

1- Bend FWD end of tube using bend prog D3274 FWD and foil 10 as per dwg D3274, cut fwd end of tube with saw table setup D3274.

2- remove fwd indexing ridge as per dwg D3274. Prepare for welding

3- weld fwd cap as per dwg D3274 and OSI004

AR Aluminum Rod Batch: M120164

4- grind fwd cap weld on top surface only

5- Cut AFT end of tube at 170.9" as per dwg D3274 and deburr end.

6-Drill Aft cap pilot hole using DT8025

7 -Cleco DT8025 in position and install pilot hole drill Jig DT8742A,B,C,D.  
Drill 3/16" pilot holes as per Dwg D32748 -Remove inner indexing ridge on aft end of skidtube as per Dwg D3274 scribe  
batch #

9 -Open aft end cap holes to Ø0.208" as per Dwg D3274. Deburr aft end.

DP 12-7-11

DP 12-7-13

BE 12-07-16

DE 12/07/16

NCR: Yes / No

## WORK ORDER NON-CONFORMANCE / UPDATE

DQA: \_\_\_\_\_ Date: \_\_\_\_\_

QA Closed: \_\_\_\_\_ Date: \_\_\_\_\_

Work Order: _____  Part No. _____  NCR No. _____	<b>DISPOSITION</b>  Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>	<b>AGAINST DEPARTMENT/PROCESS</b>  <table style="width: 100%;"> <tr> <td>Skid-tube <input type="checkbox"/></td> <td>Crosstube <input type="checkbox"/></td> <td>Prod. Eng. Coord. <input type="checkbox"/></td> <td>Engineering <input type="checkbox"/></td> </tr> <tr> <td>Machining <input type="checkbox"/></td> <td>Small Fab <input type="checkbox"/></td> <td>Rec/Store/Packaging <input type="checkbox"/></td> <td>Quality <input type="checkbox"/></td> </tr> <tr> <td>Thermoforming <input type="checkbox"/></td> <td>Finishing <input type="checkbox"/></td> <td>Supplier <input type="checkbox"/></td> <td></td> </tr> <tr> <td>Large Fab <input type="checkbox"/></td> <td>Composite <input type="checkbox"/></td> <td>Other <input type="checkbox"/></td> <td></td> </tr> </table>	Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Engineering <input type="checkbox"/>	Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Quality <input type="checkbox"/>	Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Supplier <input type="checkbox"/>		Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Other <input type="checkbox"/>	
Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Engineering <input type="checkbox"/>															
Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Quality <input type="checkbox"/>															
Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Supplier <input type="checkbox"/>																
Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Other <input type="checkbox"/>																

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data <input type="checkbox"/>									
Equip/Tooling <input type="checkbox"/>									
Operator <input type="checkbox"/>									
Material <input type="checkbox"/>									
Offset/Setup <input type="checkbox"/>									
Other <input type="checkbox"/>									
Process <input type="checkbox"/>									
Supplier <input type="checkbox"/>									
Training <input type="checkbox"/>									
Unauthorized <input type="checkbox"/>									

### FAULT CATEGORY

Landing Gear	Hardware	General	Maintenance
<input type="checkbox"/> Bending Passes Below Min <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimp at Bending <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Other <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Ripples on Inner Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	<input type="checkbox"/> Breaking <input type="checkbox"/> Missing <input type="checkbox"/> Size/Length <input type="checkbox"/> Spinning <input type="checkbox"/> Threading <input type="checkbox"/> Wrong  <b>Drill Holes</b> <input type="checkbox"/> Misaligned <input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Undersized <input type="checkbox"/> Too Many	<input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Documentation/Data <input type="checkbox"/> Finish <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Inspection Unqualified <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Jigs/Fixtures/Tooling <input type="checkbox"/> Kit Incorrect <input type="checkbox"/> Kit Missing	<input type="checkbox"/> Set-up <input type="checkbox"/> Supplier <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled  <input type="checkbox"/> Other _____ _____ _____

**Work Order ID 85363**

June-06-12 4:23:35 PM

**\*85363\***

Page 3

Item ID: D206-642-541

Accept

**\*N900040100\***Setup Start **\*NS1\***

Revision ID:

Item Name: Replacement Skidtube

Stop **\*NS2\***

Start Date: 06/06/2012 Start Qty: 1.00

**\*1\***

Cust Item ID:

Required Date: 15/06/2012 Req'd Qty: 1.00

**\*1\***

Customer:

Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

Run Start **\*NR1\***

QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
114 <b>*114*</b> QC Quality Control	QC5- Inspect part completeness to step on W/O  Memo	0.00 DAS 16 8-83 12/12/14							
116 <b>*116*</b> QC Quality Control	QC10- Inspect visual per QSI004- ground welds  Memo	0.00 DAS 16 12/12/14							
120 <b>*120*</b> HandFinish Hand Finishing	Chemical Conversion Coat per QSI005 4.1  Memo	0.00 0.00				1	12-716		

NCR: Yes / No

**WORK ORDER NON-CONFORMANCE / UPDATE**

DQA: \_\_\_\_\_ Date: \_\_\_\_\_

QA Closed: \_\_\_\_\_ Date: \_\_\_\_\_

Work Order: _____  Part No. _____  NCR No. _____				<b>DISPOSITION</b>  Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>		<b>AGAINST DEPARTMENT/PROCESS</b>  <div style="display: flex; justify-content: space-between;"> <div>           Skid-tube <input type="checkbox"/>            Machining <input type="checkbox"/>            Thermoforming <input type="checkbox"/>            Large Fab <input type="checkbox"/> </div> <div>           Crosstube <input type="checkbox"/>            Small Fab <input type="checkbox"/>            Finishing <input type="checkbox"/>            Composite <input type="checkbox"/> </div> <div>           Prod. Eng. Coord. <input type="checkbox"/>            Rec/Store/Packaging <input type="checkbox"/>            Supplier <input type="checkbox"/>            Other <input type="checkbox"/> </div> <div>           Engineering Quality <input type="checkbox"/>  <input type="checkbox"/>  <input type="checkbox"/>  <input type="checkbox"/> </div> </div>					
Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector		
Doc/Data											
Equip/Tooling											
Operator											
Material											
Offset/Setup											
Other											
Process											
Supplier											
Training											
Unauthorized											

FAULT CATEGORY												
<b>Landing Gear</b> <input type="checkbox"/> Bending Passes Below Min <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimp at Bending <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Other <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Ripples on Inner Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube			<b>Hardware</b> <input type="checkbox"/> Breaking <input type="checkbox"/> Missing <input type="checkbox"/> Size/Length <input type="checkbox"/> Spinning <input type="checkbox"/> Threading <input type="checkbox"/> Wrong  <b>Drill Holes</b> <input type="checkbox"/> Misaligned <input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Undersized <input type="checkbox"/> Too Many			<b>General</b> <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Documentation/Data <input type="checkbox"/> Finish <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Inspection Unqualified <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Jigs/Fixtures/Tooling <input type="checkbox"/> Kit Incorrect <input type="checkbox"/> Kit Missing			<input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Off-Set <input type="checkbox"/> Orientation Misread <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Lost <input type="checkbox"/> Part Moved <input type="checkbox"/> Raw Material			<input type="checkbox"/> Set-up <input type="checkbox"/> Supplier <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled  <input type="checkbox"/> Other _____ _____ _____

# Work Order ID 85363

\*85363\*

Page 4

June-06-12 4:23:35 PM

Item ID: D206-642-541

Accept

\*N9000040100\*

Setup Start \*NS1\*

Revision ID:

Item Name: Replacement Skidtube

Stop \*NS2\*

Start Date: 06/06/2012 Start Qty: 1.00

\*1\*

Cust Item ID:

Required Date: 15/06/2012 Req'd Qty: 1.00

\*1\*

Customer:

Reference:

Approvals: Process Plan: Date: Tooling: Date:

Run Start \*NR1\*

QC: Date: SPC (Y/N): Date:

Stop \*NR2\*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

130 QC7-Inspect Chemical Conversion Coat

0.00

\*130\*

QC

Memo

0.00

Quality Control

DA 03  
DP 12-7-17

150

0.00

\*150\*

Skidtubes

Skidtubes

Memo

0.00

Skidtubes

1-Open Ø0.313" and 0.375" crossbolt spacer holes as per Dwg D3274

2-Deburr crossbolt spacer holes as per Dwg D3274 and blow out chips from inside the tube

3-Bond web in place as per Dwg D3274 & QSI 015.

A/RSikaflex-291 m122130

Sikaflex expire date: 13-3-14

Start: 12-7-17 Time: 8:30

Finish: 12-07-24 Time: 10:30

(Adhere for 12 hours)

> CF 12-7-17

**Work Order ID 85363****\*85363\***

Page 5

Item ID: D206-642-541

Accept

**\*N900040100\***Setup Start **\*NS1\***

Revision ID:

Item Name: Replacement Skidtube

Stop **\*NS2\***

Start Date: 06/06/2012 Start Qty: 1.00

**\*1\***

Cust Item ID:

Required Date: 15/06/2012 Req'd Qty: 1.00

**\*1\***

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start **\*NR1\***

QC:

Date:

SPC (Y/N):

Date:

Stop **\*NR2\***Sequence ID/  
Work Center IDOperation  
DescriptionSet Up/  
Run Hours

Tool ID

Tool #

Plan  
CodeAccept  
QtyReject  
QtyReject  
NumberInsp.  
Stamp

160

QC5- Inspect part completeness to step on W/O

0.00

**\*160\***

QC

Memo

0.00

Quality Control



12-7-18

170

Skidtubes

0.00

**\*170\***

Skidtubes

Memo

0.00

Skidtubes

1-Bend AFT end of tube using bend prog. D3274 AFT as per dwg D3274. Install drop pins in crossbolt spacer holes to maintain web position.

2- DRILL PILOT HOLES FOR WEARPLATES USING D3274-1T2  
OPEN HOLES TO .297" . Deburr3-DRILL TOE PIN HOLE .640" DIA AS PER DWG USING DT8935 FWD  
END OF TUBE  
DEBURR INSIDE OF HOLE AS NECESSARY (DO NOT ENLARGE HOLES)  
REMOVE ANY FOREIGN OBJECTS INSIDE OF TUBES

4- Countersink crossbolt spacer holes as per Dwg D3274

5- prepare for welding

3AD 12-07-18

CF 12-7-19

7



# Work Order ID 85363

**\*85363\***

Page 6

June-06-12 4:23:35 PM

Item ID: D206-642-541

Accept

**\*N900040100\***

Setup Start **\*NS1\***

Revision ID:

Item Name: Replacement Skidtube

Stop **\*NS2\***

Start Date: 06/06/2012 Start Qty: 1.00 **\*1\***

Cust Item ID:

Required Date: 15/06/2012 Req'd Qty: 1.00 **\*1\***

Customer:


Reference:

Approvals: Process Plan: Date: Tooling: Date:

Run Start **\*NR1\***

QC: Date: SPC (Y/N): Date:

Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
180	QC5- Inspect part completeness to step on W/O	0.00				1	0	120724	
<b>*180*</b>									
QC	Memo	0.00							
Quality Control									

190 0.00

**\*190\***

Skidtubes

Skidtubes

Memo

0.00

1-Insert D2649 & D3275-1 crossbolt spacers. Weld as per QSI 004 and Dwg D3274. Remember to back drill each hole before welding the other side. Use aluminum rod  
A/RAluminum Rod M122324

BE 12/07/24

3-Grind cross bolt welds flush as per Dwg D3274.

B 12/07/24

4-Counterbore 5/16" x 0.750" deep as per Dwg D3274 and deburr.

D 12-7-25  
1 Dec 12/7/25

# Work Order ID 85363

\*85363\*

Page 7

June-06-12 4:23:35 PM

Item ID: D206-642-541

Accept

\*N900040100\*

Setup Start \*NS1\*

Revision ID:

Item Name: Replacement Skidtube

Stop \*NS2\*

Start Date: 06/06/2012 Start Qty: 1.00 \*1\*

Cust Item ID:

Required Date: 15/06/2012 Req'd Qty: 1.00 \*1\*

Customer:

Reference:

Approvals: Process Plan: Date: Tooling: Date: QC: Date: SPC (Y/N): Date:

Run Start \*NR1\* Stop \*NR2\*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
200 *200* QC Quality Control	QC5- Inspect part completeness to step on W/O  Memo	0.00 0.00							
210 *210* QC Quality Control	QC10- Inspect visual per QSI004- ground welds  Memo	0.00 0.00							
220 *220* HandFinish Hand Finishing	Pressure Wash per QSI005 4.3  Memo Re-alodine tube as per QSI 005 section 4.1.2.1 do not acid etch	0.00 0.00							

1 12-7-25

# Work Order ID 85363

\*85363\*

Page 8

June-06-12 4:23:35 PM

Item ID: D206-642-541

Accept

\*N9000040100\*

Setup Start \*NS1\*

Revision ID:

Item Name: Replacement Skidtube

Stop \*NS2\*

Start Date: 06/06/2012 Start Qty: 1.00

\*1\*

Cust Item ID:

Required Date: 15/06/2012 Req'd Qty: 1.00

\*1\*

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start \*NR1\*

QC:

Date:

SPC (Y/N):

Date:

Stop \*NR2\*

Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Tool ID

Tool #

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

230

White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum

0.00

\*230\*

Powdercoat

Powder Coating

Memo

START TIME:

OVEN TEMPERATURE:

FINISH TIME:

0.00

240

QC3- Inspect Part Finish

0.00

\*240\*

QC

Quality Control

Memo

0.00

250

HandFinishing

0.00

\*250\*

HandFinish

Hand Finishing

Memo

0.00

1-Install Nut Plate as per Dwg D3274. Apply LPS-PROCYON to Nut Plate and rivets.

A/RN/ALPS-PROCYON 114596.

2-Install inserts as per Dwg D3274. Use a drop of Sikaflex inside insert holes a

A/RSikaflex-291 122130

Sikaflex expire date: 14/07

1X0 MZ 12/07/25

1 2 2 12/07/26

1 2 2 12/07/26

# Work Order ID 85363

\*85363\*

Page 9

June-06-12 4:23:35 PM

Item ID: D206-642-541

Accept

\*N900040100\*

Setup Start \*NS1\*

Revision ID:

Item Name: Replacement Skidtube

Stop \*NS2\*

Start Date: 06/06/2012 Start Qty: 1.00

\*1\*

Cust Item ID:

Required Date: 15/06/2012 Req'd Qty: 1.00

\*1\*

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start \*NR1\*

QC:

Date:

SPC (Y/N):

Date:

Stop \*NR2\*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

260

QC5- Inspect part completeness to step on W/O

0.00

\*260\*

QC

Memo

0.00

Quality Control

Inspect Nut Plate & Inserts

1 0 BR12-726

270

HAND FINISHING RESOURCE #1

0.00

\*270\*

HandFinish

Memo

0.00

Hand Finishing

1-Install wearpads & gaskets as per Dwg D3274.

2-Install ring as per Dwg D3274

A/RSikaflex-291 122130

Sikaflex expire date: 14/07

3-Inspect for foreign objects as per QSI 024

4-Spray inside of tube on both sides of web with LPS-3

A/R LPS-3 Batch: N/A

5-Install Aft Cap and seal with Sikaflex. Clean excess adhesive.

A/RSikaflex-291 122130

Sikaflex expire date: 14/07

1 0 (20) R/07/26

Pto







Procyon Batch 114596

NCR: ☒ Yes ☐ No

## WORK ORDER NON-CONFORMANCE / UPDATE

DQA:                      Date: 12/08/01  
 QA Closed:                      Date: 12/8/2

Work Order: <u>85363</u>  Part No. <u>D206-642-541</u>  NCR No. <u>12-11648</u>	<b>DISPOSITION</b>  Rework <input checked="" type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>	<b>AGAINST DEPARTMENT/PROCESS</b>  <table style="width: 100%;"> <tr> <td>Skid-tube <input checked="" type="checkbox"/></td> <td>Crosstube <input type="checkbox"/></td> <td>Water Jet <input type="checkbox"/></td> <td>Engineering <input type="checkbox"/></td> </tr> <tr> <td>Machining <input type="checkbox"/></td> <td>Small Fab <input type="checkbox"/></td> <td>Prod. Eng. Coord. <input type="checkbox"/></td> <td>Quality <input checked="" type="checkbox"/></td> </tr> <tr> <td>Thermoforming <input type="checkbox"/></td> <td>Finishing <input type="checkbox"/></td> <td>Rec/Store/Packaging <input type="checkbox"/></td> <td>Other <input type="checkbox"/></td> </tr> <tr> <td>Large Fab <input type="checkbox"/></td> <td>Composite <input type="checkbox"/></td> <td>Supplier <input type="checkbox"/></td> <td></td> </tr> </table>	Skid-tube <input checked="" type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>	Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input checked="" type="checkbox"/>	Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>	Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>	
Skid-tube <input checked="" type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>															
Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input checked="" type="checkbox"/>															
Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>															
Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>																

Root Cause		Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data		12/6/27	# 230 For # 190.4	x1	Found while inspection other tubes that the counter bore was too deep measure 0.620" to 0.630" Should be 0.75" to 0.80" R.C. missed inspection and set up of counter bore was incorrect operator error	12.7.27	Attached per Email From Chris P to DAVIDS July 22 <sup>nd</sup> 2002 See Attached	 12-7-27	 12/4/30	 12/6/27
Equip/Tooling										
Operator										
Material										
Setup										
Other										
Process										
Supplier										
Training										
Unapproved										

### FAULT CATEGORY

<b>Landing Gear</b> <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped. <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	<b>General</b> <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio	<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input checked="" type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input checked="" type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions
--	---	---

## Linda Lacelle

---

**From:** Chris Provencal <cprovencal@dartaero.com>  
**Sent:** July-27-12 11:15 AM  
**To:** David Shepherd  
**Cc:** psmith@dartaero.com; 'L Lacelle'; 'Isam El-Kassis'; 'Eric Downing'; Mike Petsche  
**Subject:** RE: D206 skids

David,

The affected tubes are several float (-541) and regular tubes (-351). The float holes aren't counterbored and are unaffected. As the crossbolt spacers are not loaded except in bearing by the bushings, the additional length of the counterbore would have no effect on the strength of the crossbolt spacer from regular loading conditions. There would be a small reduction in buckling strength from sideways crushing loads, which doesn't represent a critical loading condition per the FAR requirements.

I will accept these tubes based on that rational. This email is an FYI in case you have an objection.

-Chris

---

**From:** Eric Downing [<mailto:edowning@dartaero.com>]  
**Sent:** Friday, July 27, 2012 3:34 AM  
**To:** 'Provencal, Chris'  
**Cc:** psmith@dartaero.com; 'L Lacelle'; Isam El-Kassis  
**Subject:** D206 skids  
**Importance:** High

Good morning Chris

I need to see you as soon as you read this message I have found the counter bore depth on QTYX9 D206 skids are too deep. I am measuring 0.820"-0.830" and it should be at 0.75+/-0.030". I have 6 in progress and 3 already painted and assembled. What happened was that I had inspected some 206 skids and found that the counter bore was correct but I didn't know that they had changed the counter bore part way through the day and was not set up correctly so I had assumed that they were still the same depth and when I measured the first one today like I do always the depth was not correct at all.

I need to know if this will be acceptable or that we need to rework all the skids.

Thanks  
Eric Downing  
QC Corrdinator  
Dart Aerospace LTD

NCR: Yes / No

**WORK ORDER NON-CONFORMANCE / UPDATE**

DQA: \_\_\_\_\_ Date: \_\_\_\_\_

QA Closed: \_\_\_\_\_ Date: \_\_\_\_\_

Work Order: _____  Part No. _____  NCR No. _____				<b>DISPOSITION</b>  Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>		<b>AGAINST DEPARTMENT/PROCESS</b>  <div style="display: flex; justify-content: space-between;"> <div>           Skid-tube <input type="checkbox"/>            Machining <input type="checkbox"/>            Thermoforming <input type="checkbox"/>            Large Fab <input type="checkbox"/> </div> <div>           Crosstube <input type="checkbox"/>            Small Fab <input type="checkbox"/>            Finishing <input type="checkbox"/>            Composite <input type="checkbox"/> </div> <div>           Water Jet <input type="checkbox"/>            Prod. Eng. Coord. <input type="checkbox"/>            Rec/Store/Packaging <input type="checkbox"/>            Supplier <input type="checkbox"/> </div> <div>           Engineering <input type="checkbox"/>            Quality <input type="checkbox"/>            Other <input type="checkbox"/> </div> </div>						
<b>Root Cause</b>	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector			
Doc/Data <input type="checkbox"/>												
Equip/Tooling <input type="checkbox"/>												
Operator <input type="checkbox"/>												
Material <input type="checkbox"/>												
Setup <input type="checkbox"/>												
Other <input type="checkbox"/>												
Process <input type="checkbox"/>												
Supplier <input type="checkbox"/>												
Training <input type="checkbox"/>												
Unapproved <input type="checkbox"/>												
<b>FAULT CATEGORY</b>												
<b>Landing Gear</b> <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube			<b>General</b> <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio			<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions			<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge		<input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled  <input type="checkbox"/> Other	

# Work Order ID 85363

**\*85363\***

Page 10

June-06-12 4:23:35 PM

Item ID: D206-642-541

Accept

**\*N900040100\***

Setup Start **\*NS1\***

Revision ID:

Stop **\*NS2\***

Item Name: Replacement Skidtube

Start Date: 06/06/2012 Start Qty: 1.00 **\*1\***

Cust Item ID:

Required Date: 15/06/2012 Req'd Qty: 1.00 **\*1\***

Customer:

Reference:

Approvals: Process Plan: Date:

Tooling: Date:

Run Start **\*NR1\***

QC: Date:

SPC (Y/N): Date:

Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

280 QC5- Inspect part completeness to step on W/O 0.00

**\*280\***

QC

Memo

Quality Control

290 Identify as per dwg & Stock Location: 0.00

**\*290\***

Packaging

Memo

Packaging

300 QC21- Final Inspection - Work Order Release 0.00

**\*300\***

QC

Memo

Quality Control

12/13/30

RPN 83907

12/13/31

12/13/31

12/13/31



# Picklist Print

June-06-12 4:23:38 PM

Page 1

Work Order ID: 85363

\*85363\*

Parent Item: D206-642-541

\*D206-642-541\*

Parent Item Name: Replacement Skidtube

Start Date: 06/06/2012

Required Date: 15/06/2012

Start Qty: 1.00

Required Qty: 1.00

## Comments:

IPP Rev:B05.09.23 Revised per D206-642 Rev. JKJ/JLM

IPP Rev:C 07-02-23 Added SS Wearplates & Gaskets JLM

IPP Rev:D 07-12-06 replace NAS1515H3L to D3672-1 DD

IPP Rev:E 08-04-17 as per PAR 08-015 DD verified by:EC

IPP Rev:F 08-06-02 add comment DD verified by:EC

IPP Rev:G 08-10-09 revise details DD verified by:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D2600-1-190

Manufactured No

110

Each

106.0000

1

1

\*D2600-1-190\*

Extrusion Round 3" 206

\*\*

DC 12/07/11

### Location

### Loc Qty

### Loc Code

HALL

45

69622

45

LG

61

76912

61

D3285-1

Manufactured No

110

Each

42.0000

1

1

\*D3285-1\*

Cap

\*\*

AB 12-07-14

### Location

### Loc Qty

### Loc Code

LG002

42

52511

1

52647

41

D3282-041

Manufactured No

150

Each

9.0000

1

1

\*D3282-041\*

Float Web (206L/407)

\*\*

1 CF 12-7-17

### Location

### Loc Qty

### Loc Code

LG

9

82651

9

NCR: Yes / No

**WORK ORDER NON-CONFORMANCE / UPDATE**

DQA: \_\_\_\_\_ Date: \_\_\_\_\_

QA Closed: \_\_\_\_\_ Date: \_\_\_\_\_

Work Order: _____  Part No. _____  NCR No. _____	<b>DISPOSITION</b>  Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>	<b>AGAINST DEPARTMENT/PROCESS</b>  <table style="width:100%;"> <tr> <td style="width:25%;">Skid-tube <input type="checkbox"/></td> <td style="width:25%;">Crosstube <input type="checkbox"/></td> <td style="width:25%;">Prod. Eng. Coord. <input type="checkbox"/></td> <td style="width:25%;">Engineering <input type="checkbox"/></td> </tr> <tr> <td>Machining <input type="checkbox"/></td> <td>Small Fab <input type="checkbox"/></td> <td>Rec/Store/Packaging <input type="checkbox"/></td> <td>Quality <input type="checkbox"/></td> </tr> <tr> <td>Thermoforming <input type="checkbox"/></td> <td>Finishing <input type="checkbox"/></td> <td>Supplier <input type="checkbox"/></td> <td></td> </tr> <tr> <td>Large Fab <input type="checkbox"/></td> <td>Composite <input type="checkbox"/></td> <td>Other <input type="checkbox"/></td> <td></td> </tr> </table>	Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Engineering <input type="checkbox"/>	Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Quality <input type="checkbox"/>	Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Supplier <input type="checkbox"/>		Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Other <input type="checkbox"/>	
Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Engineering <input type="checkbox"/>															
Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Quality <input type="checkbox"/>															
Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Supplier <input type="checkbox"/>																
Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Other <input type="checkbox"/>																

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data <input type="checkbox"/>									
Equip/Tooling <input type="checkbox"/>									
Operator <input type="checkbox"/>									
Material <input type="checkbox"/>									
Offset/Setup <input type="checkbox"/>									
Other <input type="checkbox"/>									
Process <input type="checkbox"/>									
Supplier <input type="checkbox"/>									
Training <input type="checkbox"/>									
Unauthorized <input type="checkbox"/>									

**FAULT CATEGORY**

<b>Landing Gear</b> <input type="checkbox"/> Bending Passes Below Min <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimp at Bending <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Other <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Ripples on Inner Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	<b>Hardware</b> <input type="checkbox"/> Breaking <input type="checkbox"/> Missing <input type="checkbox"/> Size/Length <input type="checkbox"/> Spinning <input type="checkbox"/> Threading <input type="checkbox"/> Wrong  <b>Drill Holes</b> <input type="checkbox"/> Misaligned <input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Undersized <input type="checkbox"/> Too Many	<b>General</b> <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Documentation/Data <input type="checkbox"/> Finish <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Inspection Unqualified <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Jigs/Fixtures/Tooling <input type="checkbox"/> Kit Incorrect <input type="checkbox"/> Kit Missing  <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Off-Set <input type="checkbox"/> Orientation Misread <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Lost <input type="checkbox"/> Part Moved <input type="checkbox"/> Raw Material	<input type="checkbox"/> Set-up <input type="checkbox"/> Supplier <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled  <input type="checkbox"/> Other _____ _____ _____
---	--	---	--

# Picklist Print

June-06-12 4:23:38 PM

Page 2

Work Order ID: 85363

**\*85363\***

Parent Item: D206-642-541

**\*D206-642-541\***

Parent Item Name: Replacement Skidtube

Start Date: 06/06/2012

Required Date: 15/06/2012

Start Qty: 1.00

Required Qty: 1.00

D2649

Manufactured No

190

Each

379.0000

12

12

**\*D2649\***

Cross Bolt Spacer

\*\*

*BE 12/07/24*  
*\$ 85586 \*12*

Location

Loc Qty

Loc Code

LG

236

77574

2

79502

8

79503

215

79564

4

79565

7

LG001

143

65317

1

68224

2

68507

11

71355

2

72704

2

72841

11

73390

8

73857

21

73858

53

73859

4

73860

4

78020

6

78583

2

79566

16

D3275-1

Manufactured No

190

Each

65.0000

12

12

**\*D3275-1\***

Crossbolt Spacer

\*\*

*BE 12/07/24*

Location

Loc Qty

Loc Code

LG002

65

66930

1

83264

64

*12*

June-06-12 4:23:39 PM

Shop Packet Print

Page 2

NCR: Yes / No

## WORK ORDER NON-CONFORMANCE / UPDATE

DQA: \_\_\_\_\_ Date: \_\_\_\_\_

QA Closed:                      Date:

Work Order: _____  Part No. _____  NCR No. _____				<b>DISPOSITION</b>  Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>		<b>AGAINST DEPARTMENT/PROCESS</b>  <div style="display: flex; justify-content: space-between;"> <div>             Skid-tube <input type="checkbox"/>              Machining <input type="checkbox"/>              Thermoforming <input type="checkbox"/>              Large Fab <input type="checkbox"/> </div> <div>             Crosstube <input type="checkbox"/>              Small Fab <input type="checkbox"/>              Finishing <input type="checkbox"/>              Composite <input type="checkbox"/> </div> <div>             Prod. Eng. Coord. <input type="checkbox"/>              Rec/Store/Packaging <input type="checkbox"/>              Supplier <input type="checkbox"/>              Other <input type="checkbox"/> </div> <div>             Engineering <input type="checkbox"/>              Quality <input type="checkbox"/>  <input type="checkbox"/>  <input type="checkbox"/> </div> </div>						
Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector			
Doc/Data												
Equip/Tooling												
Operator												
Material												
Offset/Setup												
Other												
Process												
Supplier												
Training												
Unauthorized												
<b>FAULT CATEGORY</b>												
<b>Landing Gear</b> <input type="checkbox"/> Bending Passes Below Min <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimp at Bending <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Other <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Ripples on Inner Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube			<b>Hardware</b> <input type="checkbox"/> Breaking <input type="checkbox"/> Missing <input type="checkbox"/> Size/Length <input type="checkbox"/> Spinning <input type="checkbox"/> Threading <input type="checkbox"/> Wrong  <b>Drill Holes</b> <input type="checkbox"/> Misaligned <input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Undersized <input type="checkbox"/> Too Many			<b>General</b> <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Documentation/Data <input type="checkbox"/> Finish <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Inspection Unqualified <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Jigs/Fixtures/Tooling <input type="checkbox"/> Kit Incorrect <input type="checkbox"/> Kit Missing			<input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Off-Set <input type="checkbox"/> Orientation Misread <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Lost <input type="checkbox"/> Part Moved <input type="checkbox"/> Raw Material		<input type="checkbox"/> Set-up <input type="checkbox"/> Supplier <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled  <input type="checkbox"/> Other _____ _____ _____	

# Picklist Print

June-06-12 4:23:39 PM

Page 3

Work Order ID: 85363

**\*85363\***

Parent Item: D206-642-541

**\*D206-642-541\***

Parent Item Name: Replacement Skidtube

Start Date: 06/06/2012

Required Date: 15/06/2012

Start Qty: 1.00

Required Qty: 1.00

CR3212-4-03

Purchased

No

250

Each

1,276.000

2

2

**\*CR3212-4-03\***

Cherry Rivet

\*\*

2

12/07/26

Location

Loc Qty

Loc Code

FP002

348

114859 ✓

348

ST331

928

110139

2

119017

926

D3415-041

Manufactured

No

250

Each

32.0000

1

1

**\*D3415-041\***

Nut Plate

\*\*

1

12/07/26

Location

Loc Qty

Loc Code

ST042

32

67605

1

82151

31

CCR264SS3-3

Purchased

No

250

Each

346.0000

2

2

**\*CCR264SS3-3\***

Cherry Rivet

\*\*

2

12/07/26

Location

Loc Qty

Loc Code

ST331

346

113973

2

117849 ✓

79

119017

265

# Picklist Print

June-06-12 4:23:39 PM

Page 4

Work Order ID: 85363

**\*85363\***

Parent Item: D206-642-541

**\*D206-642-541\***

Parent Item Name: Replacement Skidtube

Start Date: 06/06/2012

Required Date: 15/06/2012

Start Qty: 1.00

Required Qty: 1.00

ALS4-1032-130

Purchased

No

250

Each

2,185.000

78

78

**\*AI S4-1032-130\***

Insert

\*\*

78

SP

12/07/26

~~X~~ ~~X~~

Location

Loc Qty

Loc Code

ST280

12494 ✓

205

119084

116

120671

89

ST281

74

120807

36

120837

38

ST282

1906

121269

1906

D3536-15

Manufactured

No

270

Each

6.0000

1

1

**\*D3536-15\***

Gasket

\*\*

1

SP

12/07/26

Location

Loc Qty

Loc Code

FP002

85604 ✓

6

73318

4

81343

2

D3536-23

Manufactured

No

270

Each

4.0000

1

1

**\*D3536-23\***

Gasket

\*\*

1

SP

12/07/26

Location

Loc Qty

Loc Code

FP002

85295 ✓

4

74510

1

83377

3

June-06-12 4:23:39 PM

Shop Packet Print

Page 4

# Picklist Print

June-06-12 4:23:39 PM

Page 5

Work Order ID: 85363

**\*85363\***

Parent Item: D206-642-541

**\*D206-642-541\***

Parent Item Name: Replacement Skidtube

Start Date: 06/06/2012

Required Date: 15/06/2012

Start Qty: 1.00

Required Qty: 1.00

D3536-35

Manufactured No

270 Each

16.0000 1 1

**\*D3536-35\***

Gasket

\*\*

1 (2P) 12/07/26

Location

Loc Qty

Loc Code

FP002 85605 ✓ 16  
81340 5  
82065 11

D3536-39

Manufactured No

270 Each

10.0000 1 1

**\*D3536-39\***

Gasket

\*\*

1 (2P) 12/07/26

Location

Loc Qty

Loc Code

FP 9  
82252 ✓ 9  
FP002 1  
73317 1

D3535-15

Manufactured No

270 Each

3.0000 1 1

**\*D3535-15\***

Wearshoe

\*\*

1 (2P) 12/07/26

Location

Loc Qty

Loc Code

FP001 3  
80328 1  
81354 ✓ 2

# Picklist Print

June-06-12 4:23:39 PM

Page 6

Work Order ID: 85363

**\*85363\***

Parent Item: D206-642-541

**\*D206-642-541\***

Parent Item Name: Replacement Skidtube

Start Date: 06/06/2012

Required Date: 15/06/2012

Start Qty: 1.00

Required Qty: 1.00

D3535-35

Manufactured No

270 Each

29.0000 1 1

**\*D3535-35\***

Wearshoe

\*\*

1- (DP) 12/07/26

Location

Loc Qty

Loc Code

FP001

29

67598

1

70815

1

78873

13

79849

1

82064

1

83638 ✓

12

D3535-39

Manufactured No

270 Each

22.0000 1 1

**\*D3535-39\***

Wearshoe

\*\*

1 (DP) 12/02/26

Location

Loc Qty

Loc Code

FP001

22

69759

1

74513 ✓

3

81359

18

D3535-23

Manufactured No

270 Each

9.0000 1 1

**\*D3535-23\***

Wearshoe

\*\*

1 (DP) 12/07/26

Location

Loc Qty

Loc Code

FP001

9

81355

1

83375 ✓

8



# Picklist Print

June-06-12 4:23:39 PM

Page 7

Work Order ID: 85363

\*85363\*

Parent Item: D206-642-541

\*D206-642-541\*

Parent Item Name: Replacement Skidtube

Start Date: 06/06/2012

Required Date: 15/06/2012

Start Qty: 1.00

Required Qty: 1.00

D3537-3 Manufactured No

270 Each

8.0000

1

1

\*D3537-3\*

Wearpad

\*\*

1

2P

12/07/26

Location

Loc Qty

Loc Code

FP002

83327 ✓

8

78836

2

81363

6

D3537-1 Manufactured No

270 Each

28.0000

9

9

\*D3537-1\*

Wearpad

\*\*

9

2P

12/07/26

Location

Loc Qty

Loc Code

FP002

86238 ✓

28

81362

15

83254

1

83255

3

84091

9

AN960C10L \*NAS1149C0332 ✓ Purchased No

270 Each

0.0000

80

80

\*AN960C10I \*

washer

\*\*

80

2P

12/07/26

AN960C416 \*NAS1149C0463 ✓ Purchased No

270 Each

0.0000

1

1

\*AN960C416\*

washer

\*\*

1

2P

12/07/26

# Picklist Print

June-06-12 4:23:39 PM

Work Order ID: 85363

**\*85363\***

Parent Item: D206-642-541

**\*D206-642-541\***

Parent Item Name: Replacement Skidtube

Start Date: 06/06/2012

Required Date: 15/06/2012

Start Qty: 1.00

Required Qty: 1.00

D3672-1 Manufactured No

270 Each

1,040.000 2 2

**\*D3672-1\***

Phenolic Washer

\*\*

2

20 12/07/26

Location

Loc Qty

Loc Code

ST060

1040

72229

4

76277

36

80369 ✓

500

83608

500

AN3C4A Purchased No

270 Each

1,262.000 80 80

**\*AN3C4A\***

BOLT

\*\*

80

20 12/07/26

Location

Loc Qty

Loc Code

ST350

1262

120187

57

120521

28

120769

38

121205

900

121556

239

AN4C5A Purchased No

270 Each

195.0000 1 1

**\*AN4C5A\***

BOLT

\*\*

1

20 12/07/26

Location

Loc Qty

Loc Code

ST355

195

112243 ✓

136

119017

59

# Picklist Print

June-06-12 4:23:39 PM

Page 9

Work Order ID: 85363

**\*85363\***

Parent Item: D206-642-541

**\*D206-642-541\***

Parent Item Name: Replacement Skidtube

Start Date: 06/06/2012

Required Date: 15/06/2012

Start Qty: 1.00

Required Qty: 1.00

D2646

Manufactured No

270

Each

65.0000

1

1

**\*D2646\***

Aft Cap

\*\*

1

*Q*

12/07/26

Location

Loc Qty

Loc Code

FP002

85443✓

65

62678

5

68280

5

70945

1

71070

2

73294

1

73825

2

78018

1

79562

10

81974

38

D3413-1

Manufactured No

270

Each

69.0000

1

1

**\*D3413-1\***

Ring

\*\*

1

*Q*

12/07/26

Location

Loc Qty

Loc Code

ST420

4

79233

4

ST464

65

76754

1

80224

4

83307 ✓

40

83867

20

**DART**

RELEASED

07.02.12

DEO ATTACHED

DESIGN CP	DRAWN BY PH	DART AEROSPACE USA, INC. PORT HADLOCK, WA	
CHECKED [Signature]	APPROVED [Signature]	DRAWING NO. D3274	REV. D SHEET 1 OF 4
DATE 06.12.19		TITLE SKIDTUBE ASSEMBLY	SCALE NTS
A	04.03.15	NEW ISSUE	
B	04.08.09	MOVE SADDLE HOLE: 42.14 WAS 42.76	
C	05.03.16	ADD -043; NEW INSERTS	
D	06.12.19	NEW INSERTS, SS WEARSHOE + GASKET	

Qty -041	Qty -043	Part Number	Description
X		D3274-041	SKIDTUBE ASSEMBLY
	X	D3274-043	SKIDTUBE ASSEMBLY
1	1	D2600-1-240	EXTRUSION
1	1	D2646	AFT CAP
12	12	D2649	CROSS BOLT SPACER
12	37	D3275-1	CROSS BOLT SPACER
1	1	D3282-041	FLOAT WEB
1	1	D3285-1	CAP
1	1	D3413-1	RING
1	1	D3415-041	NUT PLATE
1	1	D3535-15	WEARSHOE
1	1	D3535-23	WEARSHOE
1	1	D3535-35	WEARSHOE
1	1	D3535-39	WEARSHOE
1	1	D3536-15	GASKET
1	1	D3536-23	GASKET
1	1	D3536-35	GASKET
1	1	D3536-39	GASKET
9	9	D3537-1	WEARPAD
1	1	D3537-3	WEARPAD
78	78	ALS7-1032-130	INSERT (or AKS4-1032-130, ALS4-1032-130, AELS-1032-130)
80	80	AN3C4A	BOLT
1	1	AN4C5A	BOLT
1	1	AN960C416	WASHER
80	80	AN960C10L	WASHER
2	2	CCR264SS3-3	RIVET
2	2	CR3212-4-03	RIVET
2	2	NAS1515H3L	WASHER

## GENERAL NOTES:

- TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
- DAMAGE TOLERANCE ON FWD BEND:  
THERE SHOULD BE NO VISIBLE WRINKLES IN THE BEND FROM THE GROUND TO A HEIGHT OF 7 INCHES ABOVE THE GROUND. IT IS ACCEPTABLE TO POLISH OUT GOUGES UP TO 0.020 DEEP IN THE BENT PORTION OF THE TUBE. A MAXIMUM REDUCTION IN DIAMETER OF 0.150" IS ACCEPTABLE IN THE BENT PORTION OF THE TUBE.
- ALL HOLES DRILLED ON CENTERLINES.
- BOND D3282-041 FLOAT WEB INTO D3274-1/-3 OUTER TUBE WITH NON-STRUCTURAL SIKAFLEX-241/291 ADHESIVE PER DART QSI 015. ENSURE HOLES LINE-UP.
- WELDING TO BE DONE PER DART QSI 004.
- FINISH: - ACID ETCH, ALODINE ASSEMBLY PER DART QSI 005 4.1  
- POWDER COAT WHITE (REF. 4.3.5.1) PER DART QSI 005 4.3
- DRILL Ø0.297 HOLES FOR ALS7-1032-130 INSERTS USING DT3274-1T2 BEFORE FINISH. INSTALL ALS7-1032-130 INSERTS AFTER FINISH. SEAL WEARSHOE BOLTS WITH SIKAFLEX -241/-291.
- SPRAY INSIDE OF TUBE WITH A COAT OF LPS LABORATORIES "LPS-3" AFTER FINISH AND INSTALLATION OF INSERTS. COAT ALL EXPOSED FASTENERS WITH LPS LABORATORIES "LPS PROCYON" AFTER FINAL ASSEMBLY, CLEAN EXCESS OFF POWDER COATING WITH MEK DEGREASER.


Copyright © 2004 by DART AEROSPACE USA, INC.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.


UNCONTROLLED COPY  
ENGINEERING  
RETURN TO  
SHOP COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 85363 MLC  
12/06/07

85363


DEO ATTACHED



**D3274-041 DRILLING/ASSEMBLY DETAIL**



**D3274-041 BEND/DRILLING DETAIL**



**D3274-041 SKIDTUBE ASSEMBLY**  
(SEE DETAIL D FOR WEARSHOE INSTALLATION)

RELEASED

07.02.12


COPYRIGHT © 2004 BY DART AEROSPACE USA, INC.

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.


DESIGN	CP	DRAWN BY	PH	<b>DART</b> DART AEROSPACE USA, INC. PORT HADLOCK, WA
CHECKED	#	APPROVED	#	DRAWING NO. D3274
DATE	06.12.19	TITLE	SKIDTUBE ASSEMBLY	REV. D SHEET 2 OF 4 SCALE 1:15

85363


DEO ATTACHED



**D3274-043 DRILLING/ASSEMBLY DETAIL**



**D3274-043 BEND/DRILLING DETAIL**



**D3274-043 SKIDTUBE ASSEMBLY**  
(SEE DETAIL D FOR WEARSHOE INSTALLATION)


RELEASED

07.02.12


COPYRIGHT © 2004 BY DART AEROSPACE USA, INC.		DESIGN	DRAWN BY	DART AEROSPACE USA, INC. PORT HADLOCK, MA	
CHECKED	DATE	CP	PH	DRAWING NO.	REV. D
#	06.12.19	#	#	D3274	SHEET 3 OF 4
TITLE				SCALE	
SKIDTUBE ASSEMBLY				1:15	

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.


# DETAIL A: DRILL DETAIL




## DETAIL B FOR 0.375 HOLES ONLY




## DETAIL C FOR 0.313 HOLES ONLY




## DETAIL D



## DETAIL E



## DETAIL F: END FINISHING DETAIL



DEO ATTACHED

RELEASED

07.02.12

- DETAIL F NOTES
1. CUT TUBE LEVEL
  2. REMOVE RIDGE ON FWD SIDE
  3. LOCATE D3285-1 (TRIM AS NECESSARY)
  4. WELD D3285-1 IN PLACE PER DART QSI 004
  5. GRIND FLUSH
  6. RIVET D3415-041 NUT PLATE IN PLACE
- NOTE: MASK THREADS IN D3415-041 PRIOR TO FINISH

COPYRIGHT © 2004 BY DART AEROSPACE USA, INC.		DESIGN	DRAWN BY	DART AEROSPACE USA, INC.	
		CP	PH	PORT HADLOCK, MA	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.		CHECKED	APPROVED	DRAWING NO.	REV. D
				D3274	SHEET 4 OF 4
		DATE		TITLE	SCALE
		06.12.19		SKIDTUBE ASSEMBLY	1:3

85363


DRAWING NO. D3274	TITLE SKIDTUBE ASSEMBLY	REV. D	DART AEROSPACE USA, INC ENGINEERING ORDER	D.E.O. NO. D3274-D-1	SHEET NO. SHEET 1 OF 1	SCALE NTS
DRAWN UP	CHECKED	MFG. APPR.	APPROVED	DE APPR.		
DATE 09.06.17	DATE 09.06.23	DATE 09/06/23	DATE 09/06/23	DATE 09.06.23		

LPS-3 IS NO LONGER USED DURING ASSEMBLY OF SKIDTUBE.

AMEND NOTE 8: ~~"SPRAY INSIDE OF TUBE WITH A COAT OF LPS LABORATORIES 'LPS 3' AFTER FINISH AND INSTALLATION OF INSERTS.~~  
COAT ALL EXPOSED FASTENERS WITH LPS LABORATORIES 'LPS PROCYON' AFTER FINAL ASSEMBLY, CLEAN EXCESS OFF  
POWDER COATING WITH MEK DEGREASER."

AMEND DETAIL F AS SHOWN:

### DETAIL F: END FINISHING DETAIL



#### DETAIL F NOTES

1. CUT TUBE LEVEL
2. REMOVE RIDGE ON FWD SIDE
3. LOCATE D3285-1 (TRIM AS NECESSARY)
4. WELD D3285-1 IN PLACE PER DART QSI 004
5. GRIND FLUSH
6. RIVET D3415-041 NUT PLATE IN PLACE

NOTE: MASK THREADS IN D3415-041  
PRIOR TO FINISH



120

NO. 297

# AWS D17.1.2001 QUALIFICATION TEST RECORD

Name: Barday Elliott  
Job #: 80951  
Part #: A206-B42-151  
Description: Skid tube  
Welding Process: Tig[☒] Mig[ ]  
Base material: Alum  
Current: AC[☒] DC[ ]

## TEST REQUIREMENTS AND RESULTS

Visual:	pass[ <input checked="" type="checkbox"/> ]	fail[ ]
Incomplete Penetration:	pass[ <input checked="" type="checkbox"/> ]	fail[ ]
Incomplete Fusion:	pass[ <input checked="" type="checkbox"/> ]	fail[ ]
Cracks:	pass[ <input checked="" type="checkbox"/> ]	fail[ ]
Overlap (cold lap)	pass[ <input checked="" type="checkbox"/> ]	fail[ ]
Undercut:	pass[ <input checked="" type="checkbox"/> ]	fail[ ]
Pin holes:	pass[ <input checked="" type="checkbox"/> ]	fail[ ]
Porosity (surface):	pass[ <input checked="" type="checkbox"/> ]	fail[ ]
Coloration:	pass[ <input checked="" type="checkbox"/> ]	fail[ ]
Burn through:	pass[ <input checked="" type="checkbox"/> ]	fail[ ]

Qualifier [Signature] Date of Test Coupon 12.06.13

Welder Barday Elliott Date of Test Coupon 12.06.13

The above named individual is qualified in accordance with AWS D17.1.2001 to weld